


Finish Line Indiana Math 10





CONTENTS

- [Overview](#)..... 2
- [Student Book](#)..... 3
- [Teacher's Guide](#) 10
- [eBook](#)..... 11
- [Pricing](#)..... 15



What does this book do?

Finish Line Indiana Math 10, College & Career Ready provides instruction and practice for Indiana's Academic Standards that are tested on the grade 10 assessment. Supportive lessons reinforce key skills and concepts and prepare students for test day. Components include a student workbook and teacher's guide in print and eBook formats.



Standards Connection

Units parallel the domains identified by today's Indiana Academic Standards for grade 8 and Algebra I.

368 pages of focused review

TABLE OF CONTENTS	
Introduction to Finish Line Indiana Math 10	5
UNIT 1: Number Sense, Expressions, and Computation	7
LESSON 1 8.NS.1, 8.NS.2, AI.RNE.1, AI.RNE.2	8
LESSON 2 8.NS.3, 8.NS.4	15
LESSON 3 AI.RNE.3	20
LESSON 4 AI.RNE.4	25
LESSON 5 8.C.1	29
LESSON 6 8.C.2	34
LESSON 7 AI.RNE.5	39
LESSON 8 AI.RNE.7	44
LESSON 9 AI.RNE.6	51
LESSON 10 AI.RNE.6	57
UNIT 1 REVIEW	62
UNIT 2: Geometry and Measurement	69
LESSON 1 8.GM.1	70
LESSON 2 8.GM.2	76
LESSON 3 8.GM.3, 8.GM.6	82
LESSON 4 8.GM.4, 8.GM.5	92
LESSON 5 8.GM.7, 8.GM.8, 8.GM.9	100
UNIT 2 REVIEW	107
UNIT 3: Linear Equations, Inequalities, and Functions	113
LESSON 1 8.AF.1, 8.AF.2, AI.L.1	114
LESSON 2 AI.L.11	122
LESSON 3 AI.L.1	128
LESSON 4 AI.L.8	134
LESSON 5 8.AF.1, AI.L.2	139
LESSON 6 AI.L.3	146
LESSON 7 8.AF.3, AI.F.1, AI.F.3, AI.F.4	150
LESSON 8 8.AF.4, AI.F.2	158
LESSON 9 8.AF.5, 8.AF.6, 8.AF.7, AI.L.4, AI.L.5, AI.L.6	166
LESSON 10 8.AF.7, AI.L.4, AI.L.5	177
LESSON 11 AI.L.7	185
LESSON 12 AI.L.9, AI.L.10	192
UNIT 3 REVIEW	196
UNIT 4: Systems of Equations and Inequalities	205
LESSON 1 8.AF.8, AI.SEI.1	206
LESSON 2 AI.SEI.2	212
LESSON 3 AI.SEI.3	219
LESSON 4 AI.SEI.4	226
LESSON 5 AI.SEI.4	232
UNIT 4 REVIEW	239
UNIT 5: Quadratic and Exponential Equations and Functions	243
LESSON 1 AI.QE.1	244
LESSON 2 AI.QE.2	252
LESSON 3 AI.QE.3, AI.QE.6	259
LESSON 4 AI.QE.4, AI.QE.6, AI.QE.7	267
LESSON 5 AI.QE.4	276
LESSON 6 AI.QE.5	281
UNIT 5 REVIEW	288
UNIT 6: Data Analysis, Statistics, and Probability	297
LESSON 1 AI.DS.1	298
LESSON 2 8.DSP.1, AI.DS.2	305
LESSON 3 8.DSP.2, 8.DSP.3, AI.DS.3	311
LESSON 4 8.DSP.3, AI.DS.3, AI.DS.4	318
LESSON 5 AI.DS.5	328
LESSON 6 8.DSP.4, 8.DSP.5, 8.DSP.6	336
LESSON 7 AI.DS.6	344
UNIT 6 REVIEW	351
Glossary	351
Mathematics Reference Sheet	359

Practice for Test Day

Item types include those from the grade 10 assessment to familiarize students with test day requirements: multiple choice, constructed response, and extended response. Technology enhanced items have been modified for print.

INDEPENDENT PRACTICE

Read and solve each problem.

- 1 Fill in the boxes to create an expression that is equivalent to $z^2 - 11z - 42$.

$$(z + \boxed{})(z + \boxed{})$$

- 2 Select an option from each set to show a factored form of the expression $6x^2 + 17x + 10$.

$$(\{x, 2x, 3x\} + \{1, 2, 5, 10\})(\{2x, 3x, 6x\} + \{1, 2, 5, 10\})$$

- 3 Consider this equation.

$$9x^2 + bx - 10 = (3x - 5)(3x + 2)$$

What value of b makes the equation true?

$$b = \underline{\hspace{2cm}}$$

- 4 An area model is shown.

$3x^2$	$8x$
$15x$	40

Which expression shows the factored form of the area model?

- A $(x + 5)(3x + 8)$
 B $(x + 8)(3x + 5)$
 C $(x + 8)(3x + 15)$
 D $(x + 15)(3x + 8)$

- 6 The formula $\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$ is used in optics. Tammie made an error when solving for v . The error caused the rest of her calculations and solution to be incorrect. Here are the steps she used:

$$\text{Solve: } \frac{1}{u} + \frac{1}{v} = \frac{1}{f}$$

$$\text{Step 1: } v + u = \frac{uv}{f}$$

$$\text{Step 2: } fv + u = uv$$

$$\text{Step 3: } fv - uv = -u$$

$$\text{Step 4: } v(f - u) = -u$$

$$\text{Step 5: } v = \frac{-u}{f - u}$$

- A In which step did Tammie make her error?

- B Explain the mistake Tammie made.

- C Show the correct steps and justify each one.

Lesson Format

Each lesson is broken into sections that review important skills and concepts for the topic. Sample problems are presented in a variety of formats and include explanations to show the student how to arrive at the correct answer.

Try this sample question. SAMPLE 2

Look at the graph below.

Write the inequality for which the solution set is shown in the graph.

The graph has a solid dot at -3.5 and an open dot at 1 . Therefore the graph shows all real numbers greater than or equal to -3.5 and less than 1 . Algebraically, this is $-3.5 \leq x < 1$.

Interpreting Compound Inequalities

Compound inequalities represent many situations in real life that involve ranges of numbers. For example, a lasagna recipe calls for a baking time of at least 35 minutes and at most 45 minutes. If x is the baking time, then $x \geq 35$ and $x \leq 45$, or $35 \leq x \leq 45$.

Try this sample question. SAMPLE 3

A heat pump cools a house in hot weather and heats it in cold weather. The graph below shows what the outside temperatures are when the heat pump is operating. Write a compound inequality to describe this situation and explain what it means.

The graph shows a solid circle on 60 and an arrow to the left; this means the heat pump comes on if the temperature is 60° or below. The graph shows an open circle on 80 and an arrow to the right; this means the pump comes on if the temperature is above 80° . A compound inequality for this situation uses the word *or*: $x \leq 60$ or $x > 80$.

LESSON
4 Compound Linear Inequalities AT 1.8

Solving and Graphing Compound Inequalities

A **compound inequality** is formed when two inequalities are joined by the words *and* or *or*. A compound inequality can also be written as a single number sentence with two inequality signs. Examples of such inequalities and their graphs are shown below.

- $n \geq -3$ and $n < 4$, also written as $-3 \leq n < 4$
- $n < 2$ or $n \geq 6$

An open circle on the number line means a number is *not* part of the solution set. A closed circle means the number *is* part of the solution set.

Remember to change the direction of the inequality symbol when multiplying or dividing by a negative number.

To find the solution to a compound inequality, solve each inequality separately. Sometimes it helps to rewrite inequalities containing *and* or *or* as two separate inequalities.

Try this sample question. SAMPLE 1

Which graph shows the solution to $7 < -3 - 2x < 11$?

A

C

B

D

Write the compound inequality as two separate inequalities joined by the word *and*. Then solve each inequality.

$$\begin{aligned} 7 < -3 - 2x & \text{ and } -3 - 2x < 11 \\ 10 < -2x & \quad -2x < 14 \\ -5 > x & \quad x > -7 \end{aligned}$$

Add 3 to each side.
Divide each side by -2 . Change the direction of each inequality symbol.

Note that $-5 > x$ is the same as $x < -5$. So, x is greater than -7 and less than -5 . Choice A is correct.

134 UNIT 3 Linear Equations, Inequalities, and Functions

© The Continental Press, Inc. DUPLICATING THIS MATERIAL IS ILLEGAL.

Lesson Format (cont.)





Independent practice completes the lessons using a variety of item types, including those on the grade 10 assessment.

INDEPENDENT PRACTICE

Read and solve each problem.

- 1 What is the solution to the compound inequality $5 + 3j < 2$ or $2j - 7 > -3$?
- _____

- 2 Write the compound inequality represented by the graph on each number line?



- 3 Students in a class took a timed test. No student finished the test in less than 20 minutes. All students had finished before time was called at 45 minutes. Represent the time range, m , in which students finished the test on the number line below.



- 4 Two sides of a triangle are 6 mm and 9 mm long. The possible lengths for the remaining side of the triangle, s , can be found using the inequality below.

$$6 + s > 9 \text{ and } 6 + 9 > s$$

- A Solve the inequality.

- B Graph the solution on the number line.



- 5 The optimal depth for a certain reservoir is between 50 and 60 feet, inclusive. Its depth reached a maximum of 64 feet on March 1st, and then began to decrease at a rate of 0.5 foot per week. The inequality below can be solved for n , the number of weeks after March 1st for which the reservoir will be at optimal depth.

$$50 \leq 64 - 0.5n \leq 60$$

According to this inequality, which statement is true?

- A The reservoir will be at optimal depth for 20 weeks.
 B The reservoir will not reach optimal depth until October.
 C The reservoir will take over a year to reach optimal depth.
 D The reservoir will be at optimal depth 6 weeks after March 1st.

- 6 What is the solution to the inequality $7 \leq b + 8$ or $\frac{b}{3} - 2 \leq -7$? Show all the necessary steps.

- 7 Look at the inequality below.

$$-13 < 2k - 1 < 5$$

- A What solutions for k make this inequality true?

- B Explain how you know the solutions are correct.

Calculator Use

Calculator instructions for various procedures are included to help students practice using the technology.

One way to determine the graph is to choose some values for x and solve the equation for y . You can make a table to keep track of your pairs.

Month	1	2	3	4
Expenses (\$)	8,000	12,000	16,000	20,000

Rewrite the points shown in your table as the set of ordered pairs (1, 8,000), (2, 12,000), (3, 16,000), and (4, 20,000). Find the graph that contains these ordered pairs, choice C.

Another way to find the graph is to notice that the equation is in $y = mx + b$ form, in which m is the slope and b is the y -intercept. This means the graph will start at 4,000 on the y -axis and rise by an increment of 4,000 each month. Only choice C has these features.

Using a Graphing Calculator

If you know the equation, a graphing calculator can be used to graph it. These steps are for the TI-83/84, but most calculators will have similar steps.

Graphing an Equation

- Step 1:** From the home screen, press $Y=$.
- Step 2:** For an equation in the form $y = f(x)$, enter the equation next to $Y1=$.
- Step 3:** Press WINDOW.
- Step 4:** Enter values for the minimum, maximum, and intervals of each axis.
- Step 5:** Press GRAPH to see the graph of the function.

To find the graph of a function given in table form, first find the equation of the line using a graphing calculator. Follow the steps below to find the equation of a line, also called the regression line.

Finding the Equation of a Line

- Step 1:** From the home screen, press STAT.
- Step 2:** Select EDIT.
- Step 3:** Enter the x -values of the data set in L1.
- Step 4:** Enter the y -values of the data set in L2.
- Step 5:** Select STAT. Move cursor to the menu item CALC. Select option 4: LinReg(ax + b)
- Step 6:** With option 4 on the screen, enter L1, L2, and Y1: LinReg(a + bx) L1, L2, Y1
- Step 7:** Press ENTER to see the results.

To find values to enter in step 4, use the TABLE function. Press 2nd and TABLESET. Enter an appropriate initial value for the domain. Then press 2nd and TABLE. The resulting table gives you an idea of the domain and range values applicable to the function.

For Y1, select VARS and then Y-VARS. Select option 1: Function. Select and enter the Y1 value.


Next, it is necessary to find the point of intersection of the two lines. Often, the point of intersection will not be obvious, but a graphing calculator can be used to find the exact coordinates of the point. To find the point of intersection of two lines with a TI-83/84 graphing calculator, first enter the equations and then follow these steps:

Finding the Point of Intersection

- Step 1:** Press 2ND.
- Step 2:** Press TRACE.
- Step 3:** Select 5: INTERSECT.
- Step 4:** Press ENTER.
- Step 5:** When asked for the first curve, press ENTER.
- Step 6:** When asked for the second curve, make sure the cursor is on the other line and press ENTER.
- Step 7:** When asked for a guess, move the cursor near the point of intersection and press ENTER.

To graph two equations with a TI-83/84 graphing calculator, press MODE and make sure FUNC is highlighted on the fourth line. Then follow the steps on page 178.

Move the cursor using the arrow keys.



The point of intersection of the lines represented by the equations $y = -2x + 8$ and $y = -4x + 14$ is (3, 2). Since x represents the cost of bowling a game, and y represents the cost of renting shoes, the cost of bowling a game is \$3.00, and the cost of renting shoes is \$2.00.

Reviews

Each unit concludes with a review to test all skills covered in the unit. A total of six reviews with assessment-type items can be used as practice tests to measure performance.

8.A1.1-7, A1.1.1-1

UNIT 3 REVIEW

Linear Equations, Inequalities, and Functions

Read and solve each problem.

1 Does this equation have one solution, no solutions, or infinitely many solutions?

$$2(x - 3) = \frac{1}{2}(4x - 12)$$

Justify your answer.

2 Solve each equation and inequality. Show your work.

A $-7w - 12 = 30$ C $\frac{1}{6}x + 2 = 5$

B $2(y - 1) + 4(y - 3) > 9$ D $-0.75(3 + 2z) + 1 \geq 13$


- 11 The graph shows how the length of a building's shadow at a certain time of day is related to the height of the building.



- A Does this graph describe a function? Explain why or why not.
- B Write an equation to model the relationship shown in the graph.

- C Explain the meaning of the variables in your equation.
- D According to your equation, if a building is 160 meters tall, what would be the length, in meters, of its shadow?


- 12 A relation is shown on the coordinate plane.



Mark True or False for each statement about the relation.

- | | True | False |
|--------------------------------------|--------------------------|--------------------------|
| The relation is a function. | <input type="checkbox"/> | <input type="checkbox"/> |
| The value -2 is in the domain. | <input type="checkbox"/> | <input type="checkbox"/> |
| The value 3 is in the range. | <input type="checkbox"/> | <input type="checkbox"/> |
| The domain includes $3 < x \leq 5$. | <input type="checkbox"/> | <input type="checkbox"/> |
| The range includes $-2 \leq y < 3$. | <input type="checkbox"/> | <input type="checkbox"/> |

- 13 A function is graphed on the coordinate plane.



- A Is the function linear or nonlinear?

- B Is the function increasing, decreasing, or constant?



Resources

Glossary

A glossary includes words and terms that appear in boldface throughout the book, along with their definitions.


Formula Reference Sheet

A formula reference sheet, similar to the one given with the exam, helps students complete the exercises in the book.



Teaching Support

- Suggestions for use
- Indiana Academic Standards for grade 8 and Algebra I
- Reproducible formula reference sheet
- Answer key with:
 - standards alignment
 - sample exemplary responses
 - error rationales



eBooks

Continental's eBooks go where you and your students need to be, making them ideal for both distance and blended learning models. Our printed books are delivered online with features to help you personalize instruction and make the most of practice time.



Student Tools and Notifications

With the easy-to-use tools and notifications, students can:

- Add bookmarks, notes, and highlights as they're working through their lessons.
- See teacher notifications for homework and assessment assignments, blog posts, and feedback for their assignments.
- View their eBook library.

Solving Equations by Factoring

You can solve a quadratic equation by factoring the quadratic expression and applying the zero product property.

For example, consider the quadratic equation $x^2 + 6x + 5 = 0$. Factoring $x^2 + 6x + 5 = 0$ gives $(x + 1)(x + 5) = 0$. According to the zero product property, either $x + 1 = 0$ or $x + 5 = 0$. So, $x = -1$ or $x = -5$.

Remember to set quadratic equations equal to 0 before solving.

Try this sample question.

S-3 What is the solution to the equation $3z^2 - 2 = 5z$?

A $z = \frac{1}{3}$ or $z = -2$ **C** $z = \frac{5}{3}$ or $z = -1$

B $z = -\frac{1}{3}$ or $z = 2$ **D** $z = -\frac{5}{3}$ or $z = 1$

Set the equation equal to 0 by subtracting $5z$ from each side:

$$3z^2 - 5z - 2 = 0$$

Factor the quadratic expression by finding factors of 3 and -2 that combine to equal -5:

Factors	Combinations of Factors
1 and 3; 1 and -2	$1 \cdot 1 + 3 \cdot -2 = -5$ ✓
-1 and 2	$1 \cdot -2 + 3 \cdot 1 = 1$
	$1 \cdot -1 + 3 \cdot 2 = 5$
	$1 \cdot 2 + 3 \cdot -1 = -1$

The factors of -2 that combine with the factors of 3 are 1 and -2. Since 1z multiplies 1, these terms are placed in opposite factors. Likewise, since 3 multiplies -2, 3z is placed in the opposite factor as -2. So, $3z^2 - 5z - 2 = (3z + 1)(z - 2)$ or $(3z + 1)(z - 2)$.

$$(3z + 1)(z - 2) = 0$$

Apply the zero product property by setting each separate factor equal to 0. Then solve for the variable:

$$3z + 1 = 0 \quad \text{or} \quad z - 2 = 0$$

$$z = -\frac{1}{3} \quad \text{or} \quad z = 2$$

Choice B is correct.

Keep in mind that some solutions to a quadratic equation may not be appropriate given the context of the problem. For example, suppose you are solving


Create Your Own Tests

Use your own content to create tests and measure student understanding.

Features include:

- A variety of question types to choose from, including speaking with recording
- Online answering for all questions
- Option to add hints along with questions to guide students' thinking
- Auto-scoring for selected response questions

Use your tests for online test-taking, as printed hand outs, or export the test files to reuse year after year.



Assign Homework

Similar to popular platforms like Google Classroom, Continental's eBook system allows you to add and assign homework. Students type their answers or upload files to submit their work. You can add grades and provide feedback as needed.

Create a Blog

Connect with students to remind them of due dates, provide resources, and more to support your eBook lessons.

The screenshot shows the 'Add Homework' page in the Continental eBook system. The interface includes a sidebar menu with options: Dashboard, Learning Content, Teacher Resource, Homework (highlighted), Manage Homework, Add Homework, Homework Resources, Assessment, Roster, Group, and Social. The main content area is titled 'Add Homework' and contains the following fields and controls:

- Title***: A text input field.
- Description***: A larger text input field.
- Attach File (doc, pdf, xls, jpeg, png, zip)**: A file selection area with a 'Browse' button. A note below states: 'Maximum number of allowed files is 5, maximum allowed file size is 50 MB.'
- Link with content**: A dropdown menu labeled 'Select a Content Title'.
- Assign to Class(es)**: A text input field labeled 'Type Class Name'.
- Assign to Group(s)**: A text input field labeled 'Type Group Name'.
- Assign to Student(s)**: A text input field labeled 'Type Student Name'.
- Due Date**: A date selection field with a calendar icon.
- Buttons**: 'Save' and 'Cancel' buttons at the bottom.

Affordable Pricing

Student Book—Printed

30 or more copies **\$14.40 each**

10–29 copies **\$16.50 each**

5–9 copies **\$18.60 each**

Student Book—eBook

One-year student license

5 or more **\$14.40 each**


Teacher's Guide—Printed

FREE printed guide with purchase of 25 or more printed student books, **\$5.15 each**

Teacher's Guide—eBook

One-time-purchase eBook

FREE eBook guide with purchase of 25 or more student eBooks, **\$5.15 each**



Continental
inspire every learner

800.233.0759 · www.continentalpress.com